



Test Report

No.: SZTY1211052293LP

Date: NOV 12, 2012

Page 1 of 6

KING SHAN WIRE CO., LTD
NO.16,XINGREN RD, DANSHUI DIST,
NEW TAIPEI CITY 25171, TAIWAN

The following samples were submitted and identified by/on behalf of the client as:

Name of Product/Item : please see remark in 3rd-5th pages
Self-declared Style/Item No. : please see remark in 3rd-5th pages
P.O. / Ref. No. : TT-P-10-005
Buyer : WEBER-STEPHEN PRODUCTS LLC.
Supplier : KING SHAN WIRE CO.,LTD
Country of Origin : TAIWAN
Country of Destination : UNITED STATES
Test Purpose : FOOD CONTACT TEST
Sample Receiving Date : NOV 06, 2012
Testing Period : NOV 06, 2012 TO NOV 12, 2012

Test Requested		Conclusion
1.	As specified by client, to determine extractable heavy metals content in submitted samples in accordance with the client's requirement	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS-CSTC Ltd.

Feng Shaohong, Jessica
Senior Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client, and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Toys Laboratory

2,4,5/F, Oastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China 518049 t (86-755) 83114358 f (86-755) 83106190 www.cn.sgs.com
中国·深圳·上梅林中康路奥士达大厦2,4,5层 邮编: 518049 t (86-755) 83114358 f (86-755) 83106190 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Report

No.: SZTY1211052293LP

Date: NOV 12, 2012

Page 2 of 6

Results:

1. Weber Metal Gill Extractable Heavy Metals Content Test

Method: Sample was prepared in 250ml 4% acetic acid at $22 \pm 2^\circ\text{C}$ for 24 hours

Analysis was performed by Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Test Item(s)		Result(s)			Client's Limit
		1			
		1 st cycle	2 nd cycle	3 rd cycle	
Alias No.		1	1	1	--
Tracing No.		1	1	1	--
Solution Concentration (mg/l)	Cr	0.012	0.020	0.010	--
	Ni	0.020	0.015	<0.01	--
	Cu	0.031	<0.01	<0.01	--
	Hg	<0.01	<0.01	<0.01	--
	Cd	<0.01	<0.01	<0.01	--
	Pb	0.050	<0.01	0.012	--
	Sb	<0.01	<0.01	<0.01	--
Extractable Heavy Metal (mg/dm ²)	Cr	0.001	0.002	0.001	0.4
	Ni	0.002	0.002	ND	0.1
	Cu	0.003	ND	ND	0.5
	Hg	ND	ND	ND	0.1
	Cd	ND	ND	ND	0.005
	Pb	0.005	ND	0.001	0.02
	Sb	ND	ND	ND	ND
Test Surface Area (dm ²)		2.52			--

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client, and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

Test Report

No.: SZTY1211052293LP

Date: NOV 12, 2012

Page 3 of 6

Specimen Description:

1. Silvery cooking grate

- Note:
- < = less than
 - mg/l = milligram per liter
 - mg/dm² = milligram per square decimeter
 - dm² = square decimeter
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 0.001 mg/dm²

Remark:

Supplier	Item Description / Item Number	Affect Part Number	Part Description	Component	Material Specification	Raw Material Supplier Name
King Shan Co., Ltd	WIRE TNK HLDR SWG BSKT SM Q EX	---	---	41563	SS304. [\$ 0.188"] 4.8MM	Yieh United Steel Corporation
King Shan Co., Ltd	WIRE TANK HOLDER Q100	---	---	41660	SS304. [\$ 0.188"] 4.8MM	Yieh United Steel Corporation
King Shan Co., Ltd	WIRE TANK HOLDER Q200	---	---	41865	SS304. [\$ 0.188"] 4.8MM	Yieh United Steel Corporation
King Shan Co., Ltd	WIRE ELEC HEATER RETAINER Q140	---	---	77544	SS304. [\$ 0.156"] 3.9MM	Yieh United Steel Corporation
King Shan Co., Ltd	WIRE HANGER POWER CORD Q140/240	---	---	77573	SS304. [\$ 0.188"] 4.8MM	Yieh United Steel Corporation
King Shan Co., Ltd	WIRE HANGER POWER CORD Q140/240	---	---	77881	SS304. [\$ 0.093"] 2.4MM	Yieh United Steel Corporation
King Shan Co., Ltd	LID BALE WIRE 26" O/T 09	---	---	89166	SS304. [\$ 0.214"] 5.4MM	Yieh United Steel Corporation
King Shan Co., Ltd	LID HANGER WIRE MT	---	---	960060	SS304. [\$ 0.214"] 5.4MM	Yieh United Steel Corporation
King Shan Co., Ltd	WEBER STYLE ROAST RACK(ITEM#6436)	---	---	44044	SS304. [T=0.048"] 1.2MM, SS304. [\$ 0.218"] 5.5MM	Yieh United Steel Corporation
King Shan Co., Ltd	SKEWER 4PC W/RING WEBER STYLE(ITEM#6437)	---	---	44017	SS304. [T=0.088"] 2.2MM, [T=0.08"]2.0MM, [T=0.06"]1.5MM	Yieh United Steel Corporation

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client, and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com

Test Report

No.: SZTY1211052293LP

Date: NOV 12, 2012

Page 4 of 6

Supplier	Item Description / Item Number	Affect Part Number	Part Description	Component	Material Specification	Raw Material Supplier Name
King Shan Co., Ltd	COOK GRATE 28.5 HNGO SS PKD EX(ITEM#7434)	---	---	77823	SS304. [ϕ 0.162"]4.1MM, [ϕ 0.225"] 5.7MM	Yieh United Steel Corporation
King Shan Co., Ltd	COOK GRATE 22.5 HNGO SS PKD EX(ITEM#7437)	---	---	77817	SS304. [ϕ 0.162"]4.1MM	Yieh United Steel Corporation
King Shan Co., Ltd	FISH BASKET SMALL-WO SS(ITEM#6470)	85111	Bskt Fish Assy SM	85095 85097 85098 85099 85109	SS304. [ϕ 0.173"]4.4MM, [ϕ 0.051"]1.3MM, [ϕ 0.173"]4.4MM, [T=0.059"]1.5MM	Yieh United Steel Corporation
King Shan Co., Ltd	FISH BASKET LARGE-WO SS(ITEM#6471)	85090	Bskt Fish Assy	85091 85092 85093 85094 85095	SS304. [ϕ 0.173"]4.4MM, [ϕ 0.051"]1.3MM, [ϕ 0.173"]4.4MM, [T=0.059"]1.5MM	Yieh United Steel Corporation
King Shan Co., Ltd	GRATE SS ROD 9MM 07 (ITEM #70399)	---	---	70399	SS304; ψ 0.354" [0.90mm]	Yieh United Steel Corporation
King Shan Co., Ltd	COOKING GRATE 22.5" HNGE SS UNPKD (ITEM#77817)	---	---	77817	SS304; ψ 0.225" ψ 0.162" [5.7mm 4.1mm]	Yieh United Steel Corporation
King Shan Co., Ltd	COOK GRATE SUM 28/36 12" (ITEM#78929)	---	---	78929	SS304; T1.2mm length 25mm	Yieh United Steel Corporation
King Shan Co., Ltd	COOK GRATE GEN A SS WELDED (ITEM#78991)	---	---	78991	SS304; T1.2mm length 25mm	Yieh United Steel Corporation
King Shan Co., Ltd	WARMING RACK GEN 300 07	---	---	81323	SS304; ψ 0.177" [4.4mm]	Yieh United Steel Corporation
King Shan Co., Ltd	WARMING BASKET 6B SUM 07 (ITEM#81322)	---	---	81322	SS304; ψ 0.275" [7.0mm]	Yieh United Steel Corporation
King Shan Co., Ltd	WARMING BASKET 6B SUM 07 (ITEM#81253)	---	---	81253	SS304; ψ 0.177" [4.4mm]	Yieh United Steel Corporation
King Shan Co., Ltd	WARMING BASKET 4B SUM 07 (ITEM#81254)	---	---	81254	SS304; ψ 0.177" [4.4mm]	Yieh United Steel Corporation
King Shan Co., Ltd	GRATE SS ROD 11.8" SUM 07 (ITEM#81285)	---	---	81285	SS304; ψ 0.375' [9.2mm]	Yieh United Steel Corporation
King Shan Co., Ltd	GRATE SS ROD 8.1 SUM 650 (ITEM#81286)	---	---	81286	SS304; ψ 0.375' [9.2mm]	Yieh United Steel Corporation
King Shan Co., Ltd	GRATE SS ROD 15.4 SUM 420 (ITEM#81401)	---	---	81401	SS304; ψ 0.375' [9.2mm]	Yieh United Steel Corporation
King Shan Co., Ltd	ROD HINGE S/B LID SUM/GEN 12 (ITEM#82262)	---	---	82262	SS304; ψ 0.188" [4.8mm]	Yieh United Steel Corporation
King Shan Co., Ltd	GRATE COOK 37" HINGED SS 10' (ITEM#88734)	---	---	88734	SS304; ψ 0.243" [6.18mm]	Yieh United Steel Corporation

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client, and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com

Test Report

No.: SZTY1211052293LP

Date: NOV 12, 2012

Page 5 of 6

Supplier	Item Description / Item Number	Affect Part Number	Part Description	Component	Material Specification	Raw Material Supplier Name
King Shan Co., Ltd	6 COOKING GRATE SS VLUX/SUMMIT (ITEM#97290)	---	---	97290	SS304;ψ 0.375" [9.5mm]	Yieh United Steel Corporation
King Shan Co., Ltd	COOK GRATE 26" HINGED SS 09 (ITEM#964418)	---	---	964418	SS304;ψ 0.162" ψ 0.248"[4.1mm 6.3mm]	Yieh United Steel Corporation
King Shan Co., Ltd	SUMMIT 4B GRATE ASSEMBLY	---	---	84950	SS304;ψ 0.375" [9.2mm]	Yieh United Steel Corporation
King Shan Co., Ltd	SUMMIT 6B GRATE ASSEMBLY	---	---	84949	SS304;ψ 0.375" [9.2mm]	Yieh United Steel Corporation
King Shan Co., Ltd	SHISH KABOB SET (ITEM#6405)	---	---	88101	SS304. [T=0.08"]	Yieh United Steel Corporation
King Shan Co., Ltd (or naming PROFORMANCE UNITED CORPORATION)	GRATE SS ROD 7MM SPIRIT 10	---	---	81653	SS304; ψ0.275" [7mm]	Yieh United Steel Corporation
King Shan Co., Ltd (or naming PROFORMANCE UNITED CORPORATION)	GRATE SS ROD 7MM SPIRIT 13	---	---	84634	SS304; ψ0.275" [7mm]	Yieh United Steel Corporation
King Shan Co., Ltd	PIZZA STONE RACK WS 09(ITEM#6430)	64948	Pizza Stone Assy' WS 09	64946	SS304. [\$ 0.218"]5.50MM	Yieh United Steel Corporation
King Shan Co., Ltd	PIZZA STONE SUPPORT WS 09(ITEM#6430)	64948	Pizza Stone Assy' WS 09	64947	SS304. [\$ 0.218"]5.50MM	Yieh United Steel Corporation
King Shan Co., Ltd	GRATE W/SMOKER-GEN300	---	---	81642	SS304. [\$ 0.276"]7.0MM	Yieh United Steel Corporation
King Shan Co., Ltd	GRATE SS ROD SUM 420	---	---	81401	SS304. [\$ 0.375"]9.20MM	Yieh United Steel Corporation

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client, and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com


Test Report

No.: SZTY1211052293LP

Date: NOV 12, 2012

Page 6 of 6

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client, and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com

SGS-CTC Standards Technical Services Co., Ltd.
Shenzhen Branch Toys Laboratory

2,4,5/F, Oastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China 518049 t (86-755) 83114358 f (86-755) 83106190 www.cn.sgs.com
中国·深圳·上梅林中康路奥士达大厦2,4,5层 邮编: 518049 t (86-755) 83114358 f (86-755) 83106190 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)