


Model identifier(s): 58600/58601/58602/58603							
Indirect heating functionality: [No]							
Direct heat output: 4.2 (kW)							
Indirect heat output: N/A (kW)							
Fuel				Space heating emissions (*)			
Select fuel type		[gaseous]		G30		7.6 [mg/ kWh _{input}] (GCV)	
Item		Value Unit		Item		Symbol Value Unit	
Heat output				Useful efficiency (NCV)			
Nominal heat output		P _{nom} 4.2 kW		Useful efficiency at nominal heat output		η _{th, nom} 100 %	
Minimum heat output (indicative)		P _{min} N/A kW		Useful efficiency at minimum heat output (indicative)		η _{th, min} N/A %	
Auxiliary electricity consumption				Type of heat output/room temperature control (select one)			
At nominal heat output		e _{lmax} N/A kW		Single stage heat output, no room temperature control			[No]
At minimum heat output		e _{lmin} N/A kW		Two or more manual stages, no room temperature control			[Yes]
In standby mode		e _{lsb} N/A kW		With mechanic thermostat room temperature control			[No]
				With electronic room temperature control			[No]
				With electronic room temperature control plus day timer			[No]
				With electronic room temperature control plus week timer			[No]
				Other control options (multiple selections possible)			
				Room temperature control, with presence detection			[No]
				Room temperature control, with open window detection			[No]
				With distance control option			[No]
				With adaptive start control			[No]
				With working time limitation			[No]
				With black bulb sensor			[No]
Permanent pilot flame power requirement							
Pilot flame power requirement (if applicable)		P _{pilot} 0.17 kW					
Contact details		MILLARCO INTERNATIONAL A/S Rokhøj 26 - 8520 Lystrup - Denmark Tel: +45 8743 4200					
(*) NOx = nitrogen oxides							



The seasonal space heating energy efficiency η_s			
Item	Symbol	Value	Unit
The seasonal space heating Energy efficiency in active mode	$\eta_{S,on}$	100	%
Correction factor (F1)	/	0	%
Correction factor (F2)	/	1.0	%
Correction factor (F3)	/	0	%
Correction factor (F4)	/	0	%
Correction factor (F5)	/	2.02	%
Biomass label factor	BLF	1	/
The seasonal space heating energy efficiency η_s	η_s	88.98	%
Energy Efficiency Index (EEI):	EEI	88.98	%
Energy efficiency classes	A		