



Product Service

Choose certainty.
Add value.

Technical Report No. 71382699

Rev. 01

Dated 2011-02-08

Client: Weber-Stephen Products LLC
200 E. Daniels Road
Palatine IL
60067 - 6266 USA

Chris Childers / Jay Johansmeier

Manufacturing place: Weber-Stephen Products Co.
200 E. Daniels Road
Palatine IL
60067 - 6266 USA
-
Ningbo Agsun Products Inc.
135 Beisanhuan East Road, Third North City Line, Cixi Zhejiang 315300,
P.R. China

Test subject: Product: Barbecues burning solid fuels
Type:
Smokey Joe Original
Smokey Joe Premium
47 cm Compact
47 cm Bar - B - Kettle
47 cm One - Touch Original
47 cm One - Touch Premium
57 cm Compact
57 cm Bar - B - Kettle
57 cm One - Touch Original
57 cm One - Touch Premium
One - Touch Deluxe
One - Touch Pro Classic
Performer
ONE-Touch-Gold 26³/₄ inch (67cm)
Accessories:
Kettle work table for 57 cm (22,5 inch)
Gourmet BBQ System sear grate for 57 cm (22,5 inch)
Gourmet BBQ System griddle for 57 cm (22,5 inch)



Product Service

**Choose certainty.
Add value.**

Test specification: EN 1860-1:2003 EN 1860-1/A1:2006

- Purpose of examination:
- inspection according to the Geräte- und Produktsicherheitsgesetz GPSG, version Januar 06, 2004
 - inspection according to the observance of the protection aims of the following EG-directives:
 - e.g. 2002/72/EC and 1935/2004 EC
 - Test according to the test specification

- Test result:
- The test subject was found to be in compliance with
- the Geräte- und Produktsicherheitsgesetz - GPSG
 - the protection aims of the EG-directives mentioned above
 - the mentioned test specification

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

File: TR 71382699
Rep.-No: 71382699
Revision: 01
Page 2 of 19

Project Manager:
Harald Bardowicks
Date: 2011-02-08

Phone: +49 40 54718-86
Fax: +49 40 54718-71

E-Mail: harald.bardowicks@tuev-sued.de

TUV[®]

TÜV SÜD Product Service GmbH

Hamburg Branch
Sylvesterallee 2
22525 Hamburg
Germany

1 Description of the test subject

1.1 Function

Manufacturer's specification for intended use:

Barbecues burning solid fuels

1.2 Technical Data

General:

Material

Bowl Steel sheet porcelain enameled

Cooking grate (57 cm bowl) Stainless steel or porcelain enamelled cast iron or chrome plated steel.

Cooking grate (all other models): Stainless steel or chrome plated steel.

Fire grating Steel

Handles Plastic

Wheels Plastic

Ash bowl Steel

Smokey Joe Original (without lid hook)



Measurements

Footprint

approx.: 350 / 350 mm Triangular

Unit space

approx.: 375 diameter / 450 height

Bowl Ø

approx.: 370 mm

BBQ grating Ø

approx.: 345 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg

Capacity of the charcoal grating


Direct method (Beech wood)

approx.: ¾ scoop = 0,375 kg

Weight

approx.: 4,2 kg

Smokey Joe Premium



Measurements

Footprint

approx.: 350 / 350 mm Triangular

Unit space

approx.: 375 diameter / 450 height

Bowl Ø

approx.: 370 mm

BBQ grating Ø

approx.: 345 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg

Capacity of the charcoal grating

Direct method (Beech wood)

approx.: ¾ scoop = 0,375 kg

Weight

approx.: 4,4 kg

47 cm Compact



Measurements

Footprint

approx.: 510 / 510 mm Triangular

Unit space

approx.: 350 / 510 / 875 mm (L/W/H)

Bowl Ø

approx.: 470 mm

BBQ grating Ø

approx.: 445 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg per side

Capacity of the charcoal grating

Direct method (Beech wood)

approx.: 1 scoop = 0,500 kg


Weight

approx.: 7,1 kg



Product Service

47 cm Bar - B – Kettle



Measurements

Footprint

approx.: 515 / 520 mm Triangular

Unit space

approx.: 550 / 515 / 915 mm (L/W/H)

Bowl Ø

approx.: 470 mm

BBQ grating Ø

approx.: 445 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg per side

Capacity of the charcoal grating

Direct method (Beech wood)

approx.: 1 scoop = 0,500 kg


Weight

approx.: 8,6 kg



Product Service

47 cm One - Touch Original



Measurements

Footprint

approx.: 515 / 520 mm Triangular

Unit space

approx.: 650 / 515 / 910 mm (L/W/H)

Bowl Ø

approx.: 470 mm

BBQ grating Ø

approx.: 445 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg per side.

Capacity of the charcoal grating

Direct method (Beech wood)

approx.: 1 scoop = 0,500 kg



Weight

approx.: 8,6 kg



Product Service

47 cm One - Touch Premium



Measurements

Footprint

approx.: 525 / 520 / mm Triangular

Unit space

approx.: 625 / 525 / 910 mm (L/W/H)

Bowl Ø

approx.: 470 mm

BBQ grating Ø

approx.: 445 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg per side

Capacity of the charcoal grating

Direct method (Beech wood)

approx.: 1 scoop = 0,500 kg


Weight

approx.: 9,8 kg



Product Service

57 cm Compact



Measurements

Footprint

approx.: 565 / 550 mm Triangular

Unit space

approx.: 635 / 565 / 940 mm (L/W/H)

Bowl Ø

approx.: 570 mm

BBQ grating Ø

approx.: 545 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg per side

Capacity of the charcoal grating

Direct method (Beech wood)

approx.: 2½ scoop = 1,250 kg

Weight

approx.: 9,9 kg



Product Service

57 cm Bar - B - Kettle



Measurements

Footprint

approx.: 565 / 640 mm Triangular

Unit space

approx.: 670 / 590 / 1040 mm (L/W/H)

Bowl Ø

approx.: 570 mm

BBQ grating Ø

approx.: 545 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg per side

Capacity of the charcoal grating


Direct method (Beech wood)

approx.: 1¾ scoop = 0,875 kg

Weight

approx.: 11,7 kg

57 cm One - Touch Original



Measurements

Footprint

approx.: 565 / 550 mm Triangular

Unit space

approx.: 660 / 590 / 990 mm (L/W/H)

Bowl Ø

approx.: 545 mm

BBQ grating Ø

approx.: 430 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg per side

Capacity of the charcoal grating

Direct method (Beech wood)

approx.: 1¾ scoop = 0,875 kg



Weight

approx.: 11,7 kg



Product Service

57 cm One - Touch Premium



Measurements

Footprint

Unit space

Bowl Ø

BBQ grating Ø

Capacity of the charcoal holder

Indirect method (Beech wood)

Capacity of the charcoal grating

Direct method (Beech wood)

Weight

approx.: 640 / 625 mm Triangular

approx.: 725 / 640 / 1075 mm (L/W/H)

approx.: 570 mm


approx.: 545 mm

approx.: ½ scoop = 0,250 kg per side.

approx.: 1¾ scoop = 0,875 kg

approx.: 14,1 kg

One - Touch Deluxe



Measurements

Footprint

approx.: 615 / 700 mm

Unit space

approx.: 1270 / 600 / 1060 mm (L/W/H)

Bowl Ø

approx.: 570 mm

BBQ grating Ø

approx.: 545 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg per side.

Capacity of the charcoal grating



Direct method (Beech wood)

approx.: 1¾ scoop = 0,875 kg

Weight

approx.: 26 kg

One - Touch Pro Classic



Measurements

Footprint

approx.: 615 / 700 mm

Unit space

approx.: 1175 / 745 / 985 mm (L/W/H)

Bowl Ø

approx.: 570 mm

BBQ grating Ø

approx.: 545 mm

Capacity of the charcoal holder

approx.: ½ scoop = 0,250 kg per side.

Indirect method (Beech wood)

Capacity of the charcoal grating


approx.: 1¾ scoop = 0,875 kg

Direct method (Beech wood)

Weight

approx.: 24,2 kg

Performer



Measurements

Footprint

approx.: 630 / 900 mm.

Unit space

approx.: 1180 / 755 / 1105 mm (L/W/H)

Bowl Ø

approx.: 570 mm

BBQ grating Ø

approx.: 545 mm

Capacity of the charcoal holder

Indirect method (Beech wood)

approx.: ½ scoop = 0,250 kg per side.

Capacity of the charcoal grating

Direct method (Beech wood)

approx.: 1 ¾ scoop = 0,875 kg


Weight

approx.: 31,4 kg



Product Service

ONE-Touch-Gold 26³/₄ inch (67cm)



Measurements

Footprint	approx.: 600 / 640 mm Triangular
Unit space	approx.: 840 / 700 / 1080 mm (L/W/H)
Bowl Ø	approx.: 670 mm
BBQ grating Ø	approx.: 640 mm
Capacity of the charcoal holder Indirect method (Beech wood)	approx.: 1 scoop = 1 kg per side
Capacity of the charcoal grating Direct method (Beech wood)	approx.: 4 scoop = 4 kg
Weight	approx.: 20,6 kg


Accessories:

Kettle work table for 57 cm (22,5 inch)




Remark: Test resolute 5.4 Stability
Maximum horizontal load = 8 kg
Stability load at 10° ramp = 2 kg

Gourmet BBQ System sear grate for 57 cm (22,5 inch premium and original)



Gourmet BBQ System griddle for 57 cm (22,5 inch premium and original)



2 Order

2.1 Date of Purchase Order, Customer's Reference

2009 12 01 Main Order

2.2 Receipt of Test Sample, Location

2009-05-14 TÜV SÜD Product Service GmbH Sylvesterallee 2 D-22525 Hamburg
2010-11-08 Accessories

2.3 Date of Testing

Main test: 2009 05 18 – 2009 06 19
Accessories 2010-11-09

2.4 Location of Testing

TÜV SÜD Product Service GmbH Sylvesterallee 2 D-22525 Hamburg

2.5 Points of Non-compliance or Exceptions of the Test Procedure

None



Product Service

3 Test Results

3.1 Positive Test Results

- Mechanical safety EN 1860:2003 and EN 1860-1/A1:2006
- LMBG / Hygiene Testreport 71347667-02 TÜV SÜD

3.2 Points of non-compliance according to the test specification

None

4 Remark

The user manual has been examined according to the minimum requirements described in the product standard. The manufacturer is responsible for the accuracy of further particulars as well as of the composition and layout

All listed BBQs were checked and certificated.

Certificate: Z1A 09 06 69066 002

Report No.: 71347667-03

4.1 Remarks to Factory

The assembly of the product has to comply with the documentation (drawings). Before the implementation of safety relevant modifications to the product into the ongoing production the product must be assessed for acceptance. The results must be implemented to the documentation and if necessary the certificate must be updated.

Manufacturing place: Weber-Stephen Products Co.
200 E. Daniels Road
Palatine IL
60067 - 6266 USA

Smokey Joe Original
Smokey Joe Premium
57 cm Bar - B - Kettle
57 cm One - Touch Original
57 cm One - Touch Premium
One - Touch Deluxe
One - Touch Pro Classic
Performer
ONE-Touch-Gold 26¾ inch (67cm)



Product Service

Ningbo Agsun Products Inc.
135 Beisanhuan East Road, Third North City Line, Cixi Zhejiang 315300,
P.R. China


47 cm Compact
57 cm Compact

5 Documentation

- * Drawings
- * Photo documentation

TÜV SÜD Product Service GmbH

Technical Report checked



Jens Biesenack
PS-TF1-HAM

TÜV SÜD Product Service GmbH

Engineer



i.A. Harald Bardowicks
PS-VT-HAM